

RIFLES

X BOLT 2

X-BOLT 2 MOUNTAIN PRO, SMOKED BRONZE



- New lightweight carbon fiber stock with two-tone graphics package, adjustable comb, and integrated Picatinny rail for bipod
- New lightweight stainless steel Pro receiver with Smoked Bronze Cerakote finish
- Spiral fluted, sporter contour barrel with 5/8"-24 muzzle threading and Smoked Bronze Cerakote finish
- Spiral fluted bolt with Midnight Elite Cerakote finish offers improved hardness, abrasion resistance, and lubricity
- Ultralight aluminum bolt handle with Smoked Bronze Cerakote finish
- Bottom metal with Smoked Bronze Cerakote finish
- Recoil Hawg muzzle brake with Smoked Bronze Cerakote finish reduces felt recoil up to 76% (thread protector included)
- Rotary magazine
- 1-1/4" Inflex recoil pad
- QD sling swivel cups

CALIBER	CODE	UPC	BARREL LENGTH	MAG CAP	WT	OVERALL LENGTH	DROP COMB	DROP HEEL	LENGTH PULL	TWIST RATE	BARREL THREAD
6.5 CREEDMOOR	036086282	023614865315	22"	4	6 lbs 1 oz	42"	11/16" Adj	1/2" Adj	13 5/8"	8"	5/8 - 24 SR
6.5 PRC	036086294	023614865339	24"	3	6 lbs 3 oz	44"	11/16" Adj	1/2" Adj	13 5/8"	7"	5/8 - 24 SR
6.8 Western	036086299	023614865353	24"	3	6 lbs 3 oz	44"	11/16" Adj	1/2" Adj	13 5/8"	7 1/2"	5/8 - 24 SR
30-06 SPRG	036086226	023614865377	22"	4	6 lbs 6 oz	42 3/4"	11/16" Adj	1/2" Adj	13 5/8"	10"	5/8 - 24 SR
7MM PRC	036086298	023614865414	24"	3	6 lbs 7 oz	44 3/4"	11/16" Adj	1/2" Adj	13 5/8"	8"	5/8 - 24 SR
7MM REM MAG	036086227	023614865391	26"	3	6 lbs 9 oz	46 3/4"	11/16" Adj	1/2" Adj	13 5/8"	9 1/2"	5/8 - 24 SR
300 WIN MAG	036086229	023614865438	26"	3	6 lbs 9 oz	46 3/4"	11/16" Adj	1/2" Adj	13 5/8"	10"	5/8 - 24 SR
300 PRC	036086297	023614865452	26"	3	6 lbs 9 oz	46 3/4"	11/16" Adj	1/2" Adj	13 5/8"	8"	5/8 - 24 SR

X-BOLT 2 MOUNTAIN PRO, TUNGSTEN



- New lightweight carbon fiber stock with two-tone graphics package, adjustable comb, and integrated Picatinny rail for bipod
- New lightweight stainless steel Pro receiver with Tungsten Cerakote finish
- Spiral fluted, sporter contour barrel with 5/8"-24 muzzle threading and Tungsten Cerakote finish
- Spiral fluted bolt with Midnight Elite Cerakote finish offers improved hardness, abrasion resistance, and lubricity
- Ultralight aluminum bolt handle with Tungsten Cerakote finish
- Bottom metal with Tungsten Cerakote finish
- Recoil Hawg muzzle brake with Tungsten Cerakote finish reduces felt recoil up to 76% (thread protector included)
- Rotary magazine
- 1-1/4" Inflex recoil pad
- QD sling swivel cups

CALIBER	CODE	UPC	BARREL LENGTH	MAG CAP	WT	OVERALL LENGTH	DROP COMB	DROP HEEL	LENGTH PULL	TWIST RATE	BARREL THREAD
6.5 CREEDMOOR	036078282	023614865131	22"	4	6 lbs 1 oz	42"	11/16" Adj	1/2" Adj	13 5/8" Adj	8"	5/8 - 24 SR
6.5 PRC	036078294	023614865179	24"	3	6 lbs 3 oz	44"	11/16" Adj	1/2" Adj	13 5/8" Adj	7"	5/8 - 24 SR
6.8 Western	036078299	023614865193	24"	3	6 lbs 3 oz	44"	11/16" Adj	1/2" Adj	13 5/8" Adj	7 1/2"	5/8 - 24 SR
30-06 SPRG	036078226	023614865216	22"	4	6 lbs 6 oz	42 3/4"	11/16" Adj	1/2" Adj	13 5/8" Adj	10"	5/8 - 24 SR
7MM PRC	036078298	023614865254	24"	3	6 lbs 7 oz	44 3/4"	11/16" Adj	1/2" Adj	13 5/8" Adj	8"	5/8 - 24 SR
7MM REM MAG	036078227	023614865230	26"	3	6 lbs 9 oz	44 3/4"	11/16" Adj	1/2" Adj	13 5/8" Adj	9 1/2"	5/8 - 24 SR
300 WIN MAG	036078229	023614865278	26"	3	6 lbs 9 oz	46 3/4"	11/16" Adj	1/2" Adj	13 5/8" Adj	10"	5/8 - 24 SR
300 PRC	036078297	023614865292	26"	3	6 lbs 9 oz	46 3/4"	11/16" Adj	1/2" Adj	13 5/8" Adj	8"	5/8 - 24 SR

X-BOLT 2 MOUNTAIN PRO SPR, SMOKED BRONZE



- New lightweight carbon fiber stock with two-tone graphics package, adjustable comb, and integrated Picatinny rail for bipod
- New lightweight stainless steel Pro receiver with Smoked Bronze Cerakote finish
- Spiral fluted, sporter contour barrel with 5/8"-24 muzzle threading and Smoked Bronze Cerakote finish
- Shorter barrel length is optimized for suppressor use
- Spiral fluted bolt with Midnight Elite Cerakote finish offers improved hardness, abrasion resistance, and lubricity
- Ultralight aluminum bolt handle with Smoked Bronze Cerakote finish
- Bottom metal with Smoked Bronze Cerakote finish
- Recoil Hawg muzzle brake with Smoked Bronze Cerakote finish reduces felt recoil up to 76% (thread protector included)
- Rotary magazine
- 1-1/4" Inflex recoil pad
- QD sling swivel cups

CALIBER	CODE	UPC	BARREL LENGTH	MAG CAP	WT	OVERALL LENGTH	DROP COMB	DROP HEEL	LENGTH PULL	TWIST RATE	BARREL THREAD
6.5 CREEDMOOR	036085282	023614865612	18"	4	5 lbs 15 oz	38"	11/16" Adj	1/2" Adj	13 5/8" Adj	7"	5/8 - 24 SR
308 Win	036085218	023614865636	18"	4	5 lbs 15 oz	38"	11/16" Adj	1/2" Adj	13 5/8" Adj	10"	5/8 - 24 SR
6.5 PRC	036085294	023614865650	20"	3	6 lbs 1 oz	40"	11/16" Adj	1/2" Adj	13 5/8" Adj	7"	5/8 - 24 SR
6.8 Western	036085299	023614865674	20"	3	6 lbs 1 oz	40"	11/16" Adj	1/2" Adj	13 5/8" Adj	7 1/2"	5/8 - 24 SR
7MM PRC	036085298	023614865698	20"	3	6 lbs 4 oz	40 3/4"	11/16" Adj	1/2" Adj	13 5/8" Adj	8"	5/8 - 24 SR
300 WIN MAG	036085229	023614865711	22"	3	6 lbs 6 oz	42 3/4"	11/16" Adj	1/2" Adj	13 5/8" Adj	8"	5/8 - 24 SR
300 PRC	036085297	023614865735	22"	3	6 lbs 6 oz	42 3/4"	11/16" Adj	1/2" Adj	13 5/8" Adj	8"	5/8 - 24 SR

X-BOLT 2 MOUNTAIN PRO SPR, TUNGSTEN



- New lightweight carbon fiber stock with two-tone graphics package, adjustable comb, and integrated Picatinny rail for bipod
- New lightweight stainless steel Pro receiver with Tungsten Cerakote finish
- Spiral fluted, sporter contour barrel with 5/8"-24 muzzle threading and Tungsten Cerakote finish
- Shorter barrel length is optimized for supressor use
- Spiral fluted bolt with Midnight Elite Cerakote finish offers improved hardness, abrasion resistance, and lubricity
- Ultralight aluminum bolt handle with Tungsten Cerakote finish
- Bottom metal with Tungsten Cerakote finish
- Recoil Hawg muzzle brake with Tungsten Cerakote finish reduces felt recoil up to 76% (thread protector included)
- Rotary magazine
- 1-1/4" Inflex recoil pad
- QD sling swivel cups

CALIBER	CODE	UPC	BARREL LENGTH	MAG CAP	WT	OVERALL LENGTH	DROP COMB	DROP HEEL	LENGTH PULL	TWIST RATE	BARREL THREAD
6.5 CREEDMOOR	036082282	023614865476	18"	4	5 lbs 15 oz	38"	11/16" Adj	1/2" Adj	13 5/8" Adj	7"	5/8 - 24 SR
308 Win	036082218	023614865490	18"	4	5 lbs 15 oz	38"	11/16" Adj	1/2" Adj	13 5/8" Adj	10"	5/8 - 24 SR
6.5 PRC	036082294	023614865513	20"	3	6 lbs 1 oz	40"	11/16" Adj	1/2" Adj	13 5/8" Adj	7"	5/8 - 24 SR
6.8 Western	036082299	023614865537	20"	3	6 lbs 1 oz	40"	11/16" Adj	1/2" Adj	13 5/8" Adj	7 1/2"	5/8 - 24 SR
7MM PRC	036082298	023614865551	20"	3	6 lbs 4 oz	40 3/4"	11/16" Adj	1/2" Adj	13 5/8" Adj	8"	5/8 - 24 SR
300 WIN MAG	036082229	023614865575	22"	3	6 lbs 6 oz	42 3/4"	11/16" Adj	1/2" Adj	13 5/8" Adj	10"	5/8 - 24 SR
300 PRC	036082297	023614865599	22"	3	6 lbs 6 oz	42 3/4"	11/16" Adj	1/2" Adj	13 5/8" Adj	8"	5/8 - 24 SR

X-BOLT 2 MOUNTAIN PRO, CARBON FIBER



- Preferred Barrel Blanks carbon fiber and stainless steel barrel with 5/8"-24 muzzle threading
- New lightweight carbon fiber stock with two-tone graphics package, adjustable comb, and integrated Picatinny rail for bipod
- New lightweight stainless steel Pro receiver with Carbon Gray Cerakote finish
- Shorter barrel length is optimized for supressor use
- Spiral fluted bolt with Midnight Elite Cerakote finish offers improved hardness, abrasion resistance, and lubricity
- Ultralight aluminum bolt handle with Carbon Gray Cerakote finish
- Bottom metal with Carbon Gray Cerakote finish
- Recoil Hawg muzzle brake with Carbon Gray Cerakote finish reduces felt recoil up to 76% (thread protector included)
- 1-1/4" Inflex recoil pad
- Rotary magazine
- QD sling swivel cups

CALIBER	CODE	UPC	BARREL LENGTH	MAG CAP	WT	OVERALL LENGTH	DROP COMB	DROP HEEL	LENGTH PULL	TWIST RATE	BARREL THREAD
6.5 CREEDMOOR	036083282	023614865759	22"	4	6 lbs 1 oz	42"	11/16" Adj	1/2" Adj	13 5/8" Adj	8"	5/8 - 24 SR
6.5 PRC	036083294	023614865773	24"	3	6 lbs 3 oz	44"	11/16" Adj	1/2" Adj	13 5/8" Adj	7"	5/8 - 24 SR
6.8 Western	036083299	023614865797	24"	3	6 lbs 3 oz	44"	11/16" Adj	1/2" Adj	13 5/8" Adj	7 1/2"	5/8 - 24 SR
7MM PRC	036083298	023614865834	24"	3	6 lbs 5 oz	44 3/4"	11/16" Adj	1/2" Adj	13 5/8" Adj	8"	5/8 - 24 SR
7MM REM MAG	036083227	023614865810	26"	3	6 lbs 7 oz	44 3/4"	11/16" Adj	1/2" Adj	13 5/8" Adj	8"	5/8 - 24 SR
300 WIN MAG	036083229	023614865858	26"	3	6 lbs 7 oz	46 3/4"	11/16" Adj	1/2" Adj	13 5/8" Adj	10"	5/8 - 24 SR
300 PRC	036083297	023614865872	26"	3	6 lbs 7 oz	46 3/4"	11/16" Adj	1/2" Adj	13 5/8" Adj	8"	5/8 - 24 SR

X-BOLT 2 MOUNTAIN PRO SPR, CARBON FIBER



- Preferred Barrel Blanks carbon fiber and stainless steel barrel with 5/8"-24 muzzle threading
- Shorter barrel length is optimized for suppressor use
- New lightweight carbon fiber stock with gray/gray graphics package, adjustable comb, and integrated Picatinny rail for bipod
- New lightweight stainless steel Pro receiver with Carbon Gray Cerakote finish
- Shorter barrel length is optimized for supressor use
- Spiral fluted bolt with Midnight Elite Cerakote finish offers improved hardness, abrasion resistance, and lubricity
- Ultralight aluminum bolt handle with Carbon Gray Cerakote finish
- Bottom metal with Carbon Gray Cerakote finish
- Recoil Hawg muzzle brake with Carbon Gray Cerakote finish reduces felt recoil up to 76% (thread protector included)
- 1-1/4" Inflex recoil pad
- Rotary magazine
- QD sling swivel cups

CALIBER	CODE	UPC	BARREL LENGTH	MAG CAP	WT	OVERALL LENGTH	DROP COMB	DROP HEEL	LENGTH PULL	TWIST RATE	BARREL THREAD
6.5 CREEDMOOR	036084282	023614865896	18"	4	5 lbs 12 oz	38"	11/16" Adj	1/2" Adj	13 5/8" Adj	7"	5/8 - 24 SR
308 Win	036084218	023614865919	18"	4	5 lbs 12 oz	38"	11/16" Adj	1/2" Adj	13 5/8" Adj	10"	5/8 - 24 SR
6.5 PRC	036084294	023614865933	20"	3	5 lbs 14 oz	40"	11/16" Adj	1/2" Adj	13 5/8" Adj	7"	5/8 - 24 SR
6.8 Western	036084299	023614865957	20"	3	5 lbs 14 oz	40"	11/16" Adj	1/2" Adj	13 5/8" Adj	7 1/2"	5/8 - 24 SR
7MM PRC	036084298	023614865971	20"	3	6 lbs 1 oz	40 3/4"	11/16" Adj	1/2" Adj	13 5/8" Adj	8"	5/8 - 24 SR
300 WIN MAG	036084229	023614865995	22"	3	6 lbs 3 oz	42 3/4"	11/16" Adj	1/2" Adj	13 5/8" Adj	8"	5/8 - 24 SR
300 PRC	036084297	023614866015	22"	3	6 lbs 3 oz	42 3/4"	11/16" Adj	1/2" Adj	13 5/8" Adj	8"	5/8 - 24 SR

X-BOLT 2 PRO MCMILLAN CARBON FIBER



- Preferred Barrel Blanks stainless steel barrel is wrapped in carbon fiber and features 5/8"-24 muzzle threading with Recoil Hawg (thread protector included)
- Lightweight Pro stainless steel action
- Rust-resistant Carbon Gray Cerakote™ finish on action and bolt
- Carbon fiber McMillan® Game Warden 2.0 stock with Urban Carbon Ambush finish
- Spiral-fluted bolt with ultralight aluminum bolt handle
- Recoil Hawg muzzle brake
- Aluminum Picatinny rail for a bi-pod
- 20 MOA Picatinny optics rail with bubble level
- Pachmayr Decelerator recoil pad

CALIBER	CODE	UPC	BARREL LENGTH	MAG CAP	WT	OVERALL LENGTH	DROP COMB	DROP HEEL	LENGTH PULL	TWIST RATE	BARREL THREAD
6.5 CREEDMOOR	036037282	023614861485	22"	4	6 lbs 8 oz	42"	1/2"	1"	13 5/8"	7"	5/8 - 24 SR
6.5 PRC	036037294	023614861515	24"	3	6 lbs 10 oz	44"	1/2"	1"	13 5/8"	7"	5/8 - 24 SR
6.8 Western	036037299	023614861546	24"	3	6 lbs 10 oz	44"	1/2"	1"	13 5/8"	7"	5/8 - 24 SR
7MM PRC	036037298	023614861577	24"	3	6 lbs 14 oz	44 3/4"	1/2"	1"	13 5/8"	8"	5/8 - 24 SR
300 WIN MAG	036037229	023614861607	26"	3	7 lbs 0 oz	46 3/4"	1/2"	1"	13 5/8"	8"	5/8 - 24 SR
300 PRC	036037297	023614861638	26"	3	7 lbs 0 oz	46 3/4"	1/2"	1"	13 5/8"	8"	5/8 - 24 SR

X-BOLT 2 PRO MCMILLAN SPR CARBON FIBER



- Preferred Barrel Blanks stainless steel barrel is wrapped in carbon fiber and features 5/8"-24 muzzle threading with Recoil Hawg (thread protector included)
- Shorter barrel lengths are optimized for use with a suppressor
- Lightweight Pro stainless steel action
- Rust-resistant Carbon Gray Cerakote™ finish on action and bolt
- Carbon fiber McMillan® Game Warden 2.0 stock with Urban Carbon Ambush finish
- Spiral-fluted bolt with ultralight aluminum bolt handle
- Recoil Hawg muzzle brake
- Aluminum Picatinny rail for a bi-pod
- 20 MOA Picatinny optics rail with bubble level
- Pachmayr Decelerator recoil pad

CALIBER	CODE	UPC	BARREL LENGTH	MAG CAP	WT	OVERALL LENGTH	DROP COMB	DROP HEEL	LENGTH PULL	TWIST RATE	BARREL THREAD
6.5 CREEDMOOR	036030282	023614859628	18"	4	6 lbs 4 oz	38"	1/2"	1"	13 5/8"	7"	5/8 - 24 SR
308 Win	036030218	023614859635	18"	4	6 lbs 4 oz	38"	1/2"	1"	13 5/8"	10"	5/8 - 24 SR
6.5 PRC	036030294	023614860686	20"	3	6 lbs 6 oz	40"	1/2"	1"	13 5/8"	7"	5/8 - 24 SR
6.8 Western	036030299	023614859642	20"	3	6 lbs 6 oz	40"	1/2"	1"	13 5/8"	7"	5/8 - 24 SR
7MM PRC	036030298	023614859659	20"	3	6 lbs 10 oz	40 3/4"	1/2"	1"	13 5/8"	8"	5/8 - 24 SR
300 WIN MAG	036030229	023614859666	22"	3	6 lbs 12 oz	42 3/4"	1/2"	1"	13 5/8"	8"	5/8 - 24 SR
300 PRC	036030297	023614859673	22"	3	6 lbs 12 oz	42 3/4"	1/2"	1"	13 5/8"	8"	5/8 - 24 SR

X-BOLT 2 PRO



- New lightweight carbon fiber stock with adjustable comb and integrated Picatinny rail for bipod
- New lightweight Pro receiver with non-reflective matte blued finish
- Fluted, sporter contour barrel with 5/8"-24 muzzle threading and non-reflective matte blued finish
- Spiral fluted bolt with Smoked Bronze Cerakote finish
- Ultralight aluminum bolt handle with Smoked Bronze Cerakote finish
- Bottom metal with Smoked Bronze Cerakote finish
- Recoil Hawg muzzle brake reduces felt recoil up to 76% (thread protector included)
- Rotary magazine
- 1-1/4" Inflex recoil pad
- QD sling swivel cups

CALIBER	CODE	UPC	BARREL LENGTH	MAG CAP	WT	OVERALL LENGTH	DROP COMB	DROP HEEL	LENGTH PULL	TWIST RATE	BARREL THREAD
6.5 CREEDMOOR	036040282	023614862338	22"	4	6 lbs 3 oz	42"	1/10" Adj	0" Adj	13 5/8"	8"	5/8 - 24 SR
308 Win	036040218	023614862352	22"	4	6 lbs 3 oz	42"	1/10" Adj	0" Adj	13 5/8"	10"	5/8 - 24 SR
6.5 PRC	036040294	023614862413	24"	3	6 lbs 3 oz	40"	1/10" Adj	0" Adj	13 5/8"	7"	5/8 - 24 SR
6.8 Western	036040299	023614862437	24"	3	6 lbs 3 oz	44"	1/10" Adj	0" Adj	13 5/8"	7 1/2"	5/8 - 24 SR
270 Win	036040224	023614862376	22"	4	6 lbs 6 oz	42 3/4"	1/10" Adj	0" Adj	13 5/8"	10"	5/8 - 24 SR
30-06 SPRG	036040226	023614862390	22"	4	6 lbs 6 oz	42 3/4"	1/10" Adj	0" Adj	13 5/8"	10"	5/8 - 24 SR
7MM PRC	036040298	023614862475	24"	3	6 lbs 6 oz	44 3/4"	1/10" Adj	0" Adj	13 5/8"	8"	5/8 - 24 SR
7MM REM MAG	036040227	023614862451	26"	3	6 lbs 8 oz	46 3/4"	1/10" Adj	0" Adj	13 5/8"	9 1/2"	5/8 - 24 SR
300 WIN MAG	036040229	023614862499	26"	3	6 lbs 8 oz	46 3/4"	1/10" Adj	0" Adj	13 5/8"	10"	5/8 - 24 SR
300 PRC	036040297	023614862512	26"	3	5 lbs 14 oz	46 3/4"	1/10" Adj	0" Adj	13 5/8"	8"	5/8 - 24 SR

X-BOLT 2 SPEED



- New X-Bolt 2 styling
- New composite Vari-Tech stock with adjustable length of pull, adjustable comb, interchangeable sporter and vertical grips, and black overmolded gripping surfaces
- Smoked Bronze Cerakote™ finish protects better than traditional bluing or bare stainless steel
- Fluted, sporter contour barrel for the ideal blend of accuracy and weight savings
- New spiral-fluted bolt with ergonomic new bolt knob shape
- Radial-style muzzle brake
- New 1-1/4" Inflex Recoil Pad
- Versatile Browning OVIX Camouflage

CALIBER	CODE	UPC	BARREL LENGTH	MAG CAP	WT	OVERALL LENGTH	DROP COMB	DROP HEEL	LENGTH PULL	TWIST RATE	BARREL THREAD
243 Win	036006211	023614857891	22"	4	6 lbs 12 oz	42"	0" Adj	1/10" Adj	13 5/8" Adj	10"	M13 - 0.75
6.5 CREEDMOOR	036006282	023614857907	22"	4	6 lbs 12 oz	42"	0" Adj	1/10" Adj	13 5/8" Adj	8"	M13 - 0.75
308 Win	036006218	023614857914	22"	4	6 lbs 12 oz	42"	0" Adj	1/10" Adj	13 5/8" Adj	10"	M13 - 0.75
6.5 PRC	036006294	023614857921	24"	3	6 lbs 14 oz	44"	0" Adj	1/10" Adj	13 5/8" Adj	7"	M13 - 0.75
6.8 Western	036006299	023614857938	24"	3	6 lbs 14 oz	44"	0" Adj	1/10" Adj	13 5/8" Adj	7 1/2"	M13 - 0.75
270 Win	036006224	023614857945	22"	4	6 lbs 14 oz	42 3/4"	0" Adj	1/10" Adj	13 5/8" Adj	10"	M13 - 0.75
30-06 SPRG	036006226	023614857952	22"	4	6 lbs 14 oz	42 3/4"	0" Adj	1/10" Adj	13 5/8" Adj	10"	M13 - 0.75
7MM PRC	036006298	023614857976	24"	3	7 lbs 0 oz	44 3/4"	0" Adj	1/10" Adj	13 5/8" Adj	8"	M13 - 0.75
7MM REM MAG	036006227	023614857969	26"	3	7 lbs 2 oz	46 3/4"	0" Adj	1/10" Adj	13 5/8" Adj	9 1/2"	M13 - 0.75
28 Nosler	036006288	023614857983	26"	3	7 lbs 2 oz	46 3/4"	0" Adj	1/10" Adj	13 5/8" Adj	9"	M13 - 0.75
300 WIN MAG	036006229	023614857990	26"	3	7 lbs 2 oz	46 3/4"	0" Adj	1/10" Adj	13 5/8" Adj	10"	M13 - 0.75
300 PRC	036006297	023614858003	26"	3	7 lbs 2 oz	46 3/4"	0" Adj	1/10" Adj	13 5/8" Adj	8"	M13 - 0.75

X-BOLT 2 SPEED SPR



- New X-Bolt 2 styling
- New composite Vari-Tech stock with adjustable length of pull, adjustable comb, interchangeable sporter and vertical grips, black overmolded gripping surfaces, and OVIX Camouflage finish
- Smoked Bronze Cerakote™ finish protects better than traditional bluing or bare stainless steel
- Fluted, sporter contour barrel for the ideal blend of accuracy and weight savings
- Belled muzzle allows for common, suppressor-ready threading to be added to the lighter contour barrel
- New spiral-fluted bolt with ergonomic new bolt knob shape
- Radial-style muzzle brake
- New 1-1/4" Inflex Recoil Pad
- Versatile Browning OVIX camouflage

CALIBER	CODE	UPC	BARREL LENGTH	MAG CAP	WT	OVERALL LENGTH	DROP COMB	DROP HEEL	LENGTH PULL	TWIST RATE	BARREL THREAD
6.5 CREEDMOOR	036010282	023614858157	18"	4	6 lbs 10 oz	38"	0" Adj	1/10" Adj	13 5/8" Adj	7"	5/8 - 24 SR
308 Win	036010218	023614858164	18"	4	6 lbs 10 oz	38"	0" Adj	1/10" Adj	13 5/8" Adj	10"	5/8 - 24 SR
6.5 PRC	036010294	023614858171	20"	3	6 lbs 12 oz	40"	0" Adj	1/10" Adj	13 5/8" Adj	7"	5/8 - 24 SR
6.8 Western	036010299	023614858188	20"	3	6 lbs 12 oz	40"	0" Adj	1/10" Adj	13 5/8" Adj	7 1/2"	5/8 - 24 SR
7MM PRC	036010298	023614858201	20"	3	6 lbs 14 oz	40 3/4"	0" Adj	1/10" Adj	13 5/8" Adj	8"	5/8 - 24 SR
7MM REM MAG	036010227	023614858195	22"	3	7 lbs 0 oz	42 3/4"	0" Adj	1/10" Adj	13 5/8" Adj	8"	5/8 - 24 SR
300 WIN MAG	036010229	023614858218	22"	3	7 lbs 0 oz	42 3/4"	0" Adj	1/10" Adj	13 5/8" Adj	8"	5/8 - 24 SR
300 PRC	036010297	023614858225	22"	3	7 lbs 0 oz	42 3/4"	0" Adj	1/10" Adj	13 5/8" Adj	8"	5/8 - 24 SR

X-BOLT 2 SPEED CARBON FIBER



- New X-Bolt 2 styling
- New composite Vari-Tech stock with adjustable length of pull, adjustable comb, interchangeable sporter and vertical grips, and black overmolded gripping surfaces
- Tungsten Cerakote™ finish protects better than traditional bluing or bare stainless steel
- Preferred Barrel Blanks stainless steel barrel is wrapped in carbon fiber and features 5/8"-24 muzzle threading with Recoil Hawg (thread protector included)
- New spiral-fluted bolt with extended handle and ergonomic new bolt knob shape
- Recoil Hawg muzzle brake
- New 1-1/4" Inflex Recoil Pad
- Versatile Browning OVIX camouflage

CALIBER	CODE	UPC	BARREL LENGTH	MAG CAP	WT	OVERALL LENGTH	DROP COMB	DROP HEEL	LENGTH PULL	TWIST RATE	BARREL THREAD
6.5 CREEDMOOR	036034282	023614861126	22"	4	6 lbs 1 oz	42"	ADJ Adj	ADJ Adj	13 5/8" Adj	7"	5/8 - 24 SR
308 Win	036034218	023614863557	22"	4	6 lbs 1 oz	42"	ADJ Adj	ADJ Adj	13 5/8" Adj	10"	5/8 - 24 SR
6.5 PRC	036034294	023614861133	24"	3	7 lbs 0 oz	44"	ADJ Adj	ADJ Adj	13 5/8" Adj	7"	5/8 - 24 SR
6.8 Western	036034299	023614861140	24"	3	7 lbs 1 oz	44"	ADJ Adj	ADJ Adj	13 5/8" Adj	7"	5/8 - 24 SR
270 Win	036034224	023614863564	22"	4	7 lbs 1 oz	42 3/4"	ADJ Adj	ADJ Adj	13 5/8" Adj	10"	5/8 - 24 SR
30-06 SPRG	036034226	023614863571	22"	4	7 lbs 1 oz	42 3/4"	ADJ Adj	ADJ Adj	13 5/8" Adj	10"	5/8 - 24 SR
7MM PRC	036034298	023614861164	24"	3	7 lbs 3 oz	44 3/4"	ADJ Adj	ADJ Adj	13 5/8" Adj	8"	5/8 - 24 SR
7MM REM MAG	036034227	023614861157	26"	3	7 lbs 5 oz	46 3/4"	ADJ Adj	ADJ Adj	13 5/8" Adj	9"	5/8 - 24 SR
300 WIN MAG	036034229	023614861171	26"	3	7 lbs 5 oz	46 3/4"	ADJ Adj	ADJ Adj	13 5/8" Adj	8"	5/8 - 24 SR
300 PRC	036034297	023614863588	26"	3	7 lbs 5 oz	46 3/4"	ADJ Adj	ADJ Adj	13 5/8" Adj	8"	5/8 - 24 SR

X-BOLT 2 SPEED CARBON FIBER SPR



- New X-Bolt 2 styling
- New composite Vari-Tech stock with adjustable length of pull, adjustable comb, interchangeable sporter and vertical grips, black overmolded gripping surfaces, and OVIX Camouflage finish
- Smoked Bronze Cerakote™ finish protects better than traditional bluing or bare stainless steel
- Preferred Barrel Blanks stainless steel barrel is wrapped in carbon fiber and features 5/8"-24 muzzle threading with Recoil Hawg (thread protector included)
- Barrel lengths are 4" shorter than standard for use with a suppressor
- New spiral-fluted bolt with extended handle and ergonomic new bolt knob shape
- Recoil Hawg muzzle brake
- New 1-1/4" Inflex Recoil Pad
- Versatile Browning OVIX camouflage

CALIBER	CODE	UPC	BARREL LENGTH	MAG CAP	WT	OVERALL LENGTH	DROP COMB	DROP HEEL	LENGTH PULL	TWIST RATE	BARREL THREAD
6.5 CREEDMOOR	036035282	023614861188	18"	4	6 lbs 12 oz	38"	1/10" Adj	0" Adj	13 5/8" Adj	7"	5/8 - 24 SR
308 Win	036035218	023614861195	18"	4	6 lbs 12 oz	38"	1/10" Adj	0" Adj	13 5/8" Adj	10"	5/8 - 24 SR
6.5 PRC	036035294	023614861232	20"	3	6 lbs 14 oz	40"	1/10" Adj	0" Adj	13 5/8" Adj	7"	5/8 - 24 SR
6.8 Western	036035299	023614861201	20"	3	6 lbs 14 oz	40"	1/10" Adj	0" Adj	13 5/8" Adj	7"	5/8 - 24 SR
7MM PRC	036035298	023614861218	20"	3	7 lbs 2 oz	40 3/4"	1/10" Adj	0" Adj	13 5/8" Adj	8"	5/8 - 24 SR
300 WIN MAG	036035229	023614861225	22"	3	7 lbs 4 oz	42 3/4"	1/10" Adj	0" Adj	13 5/8" Adj	8"	5/8 - 24 SR

X-BOLT 2 SPEED LR



- New X-Bolt 2 styling
- New composite Vari-Tech stock with adjustable length of pull, adjustable comb, interchangeable sporter and vertical grips, and black overmolded gripping surfaces
- Smoked Bronze Cerakote™ finish protects better than traditional bluing or bare stainless steel
- Fluted, sporter contour barrels that are 2" longer than standard lengths for the ideal blend of accuracy and weight savings
- New spiral-fluted bolt with extended bolt handle and ergonomic new bolt knob shape
- Radial-style muzzle brake
- Belled muzzle allows for common, suppressor-ready threading to be added to the lighter contour barrel
- Aluminum Picatinny rail for a bi-pod
- New 1-1/4" Inflex Recoil Pad
- Versatile Browning OVIX camouflage

CALIBER	CODE	UPC	BARREL LENGTH	MAG CAP	WT	OVERALL LENGTH	DROP COMB	DROP HEEL	LENGTH PULL	TWIST RATE	BARREL THREAD
6.5 CREEDMOOR	036011282	023614858232	24"	6	7 lbs 8 oz	44"	0" Adj	1/10" Adj	13 5/8" Adj	7"	5/8 - 24 SR
6.5 PRC	036011294	023614858249	26"	5	7 lbs 11 oz	46"	0" Adj	1/10" Adj	13 5/8" Adj	7"	5/8 - 24 SR
6.8 Western	036011299	023614858256	26"	5	7 lbs 11 oz	46"	0" Adj	1/10" Adj	13 5/8" Adj	7 1/2"	5/8 - 24 SR
270 Win	036011224	023614858263	24"	6	7 lbs 13 oz	44 3/4"	0" Adj	1/10" Adj	13 5/8" Adj	7 1/2"	5/8 - 24 SR
7MM PRC	036011298	023614858287	26"	5	7 lbs 15 oz	46 3/4"	0" Adj	1/10" Adj	13 5/8" Adj	8"	5/8 - 24 SR
7MM REM MAG	036011227	023614858270	26"	5	7 lbs 15 oz	46 3/4"	0" Adj	1/10" Adj	13 5/8" Adj	8"	5/8 - 24 SR
300 WIN MAG	036011229	023614858294	26"	5	7 lbs 15 oz	46 3/4"	0" Adj	1/10" Adj	13 5/8" Adj	8"	5/8 - 24 SR
300 PRC	036011297	023614858300	26"	5	7 lbs 15 oz	46 3/4"	0" Adj	1/10" Adj	13 5/8" Adj	8"	5/8 - 24 SR

X-BOLT 2 HELL'S CANYON MCMILLAN LR



- New X-Bolt 2 styling
- Free-floating, heavy sporter contour fluted barrel 2" longer than standard lengths for the ideal blend of accuracy and weight savings
- Rust-resistant Smoked Bronze Cerakote™ finish on action and bolt
- Composite McMillan® Game Scout stock with OVIX Camouflage finish
- New Plus Magazine System offers extra cartridge capacity
- New spiral-fluted bolt with extended bolt handle and ergonomic new bolt knob shape
- Recoil Hawg muzzle brake
- Aluminum 20 MOA Picatinny optics rail
- Pachmayr Decelerator recoil pad

CALIBER	CODE	UPC	BARREL LENGTH	MAG CAP	WT	OVERALL LENGTH	DROP COMB	DROP HEEL	LENGTH PULL	TWIST RATE	BARREL THREAD
6.5 CREEDMOOR	036036282	023614861324	24"	6	8 lbs 2 oz	44"	1/2"	1/2"	13 5/8"	7"	5/8 - 24 SR
6.5 PRC	036036294	023614861348	24"	5	8 lbs 6 oz	46"	1/2"	1/2"	13 5/8"	7"	5/8 - 24 SR
6.8 Western	036036299	023614861362	24"	5	8 lbs 6 oz	46"	1/2"	1/2"	13 5/8"	7 1/2"	5/8 - 24 SR
7MM PRC	036036298	023614861409	24"	5	8 lbs 10 oz	46 3/4"	1/2"	1/2"	13 5/8"	8"	5/8 - 24 SR
7MM REM MAG	036036227	023614861386	26"	5	8 lbs 10 oz	46 3/4"	1/2"	1/2"	13 5/8"	8"	5/8 - 24 SR
28 Nosler	036036288	023614861423	26"	5	8 lbs 10 oz	46 3/4"	1/2"	1/2"	13 5/8"	8"	5/8 - 24 SR
300 WIN MAG	036036229	023614861447	26"	5	8 lbs 10 oz	46 3/4"	1/2"	1/2"	13 5/8"	8"	5/8 - 24 SR
300 PRC	036036297	023614861461	26"	5	8 lbs 10 oz	46 3/4"	1/2"	1/2"	13 5/8"	8"	5/8 - 24 SR

X-BOLT 2 HELL'S CANYON MAX LR



- Composite Max stock offers an adjustable comb to dial-in eye-to-scope alignment
- Fluted heavy sporter barrel for long-range accuracy
- Plus Magazine System offers extra cartridge capacity
- Smoked Bronze Cerakote™ finish protects better than traditional bluing or stainless steel
- Recoil Hawg muzzle brake reduces felt recoil up to 76% (thread protector included)
- Extended bolt handle with ergonomic knob shape
- Aluminum Picatinny rail with swivel stud for bipod mounting
- 1-1/4" Inflex recoil pad

CALIBER	CODE	UPC	BARREL LENGTH	MAG CAP	WT	OVERALL LENGTH	DROP COMB	DROP HEEL	LENGTH PULL	TWIST RATE	BARREL THREAD
6.5 CREEDMOOR	036012282	023614858317	24"	6	8 lbs 11 oz	44 1/8"	2/3" Adj	2/3" Adj	13 3/4"	7"	5/8 - 24 SR
6.5 PRC	036012294	023614858324	26"	5	8 lbs 13 oz	46 1/8"	2/3" Adj	2/3" Adj	13 3/4"	7"	5/8 - 24 SR
6.8 Western	036012299	023614858331	26"	5	8 lbs 13 oz	46 1/8"	2/3" Adj	2/3" Adj	13 3/4"	7 1/2"	5/8 - 24 SR
270 Win	036012224	023614858348	24"	6	8 lbs 14 oz	44 7/8"	Adj Adj	Adj Adj	13 3/4"	7 1/2"	5/8 - 24 SR
7MM PRC	036012298	023614858362	26"	5	9 lbs 0 oz	46 7/8"	Adj Adj	Adj Adj	13 3/4"	8"	5/8 - 24 SR
7MM REM MAG	036012227	023614858355	26"	5	9 lbs 0 oz	46 7/8"	2/3" Adj	2/3" Adj	13 3/4"	8"	5/8 - 24 SR
28 Nosler	036012288	023614858379	26"	5	9 lbs 0 oz	46 7/8"	2/3" Adj	2/3" Adj	13 3/4"	8"	5/8 - 24 SR
300 WIN MAG	036012229	023614858386	26"	5	9 lbs 0 oz	46 7/8"	2/3" Adj	2/3" Adj	13 3/4"	8"	5/8 - 24 SR
300 PRC	036012297	023614858393	26"	5	9 lbs 0 oz	46 7/8"	2/3" Adj	2/3" Adj	13 3/4"	8"	5/8 - 24 SR

X-BOLT 2 WESTERN HUNTER LR



- Vari-Tech stock with Browning OVIX camouflage features adjustable length of pull, adjustable comb, interchangeable grip modules, and black overmolded grip surfaces
- Sporter contour barrels that are 2" longer than standard lengths for the ideal blend of accuracy and weight savings
- Non-reflective matte blued finish
- Plus Magazine System offers extra cartridge capacity
- Removable radial-style muzzle brake reduces felt recoil (thread protector included)
- Aluminum Picatinny rail for bipod mounting
- Extended bolt handle with ergonomic knob shape
- 1-1/4" Inflex recoil pad

CALIBER	CODE	UPC	BARREL LENGTH	MAG CAP	WT	OVERALL LENGTH	DROP COMB	DROP HEEL	LENGTH PULL	TWIST RATE	BARREL THREAD
6.5 CREEDMOOR	036009282	023614858072	24"	6	7 lbs 11 oz	44"	1/10" Adj	0" Adj	13 5/8" Adj	7"	5/8 - 24 SR
6.5 PRC	036009294	023614858089	26"	5	7 lbs 11 oz	46"	1/10" Adj	0" Adj	13 5/8" Adj	7"	5/8 - 24 SR
6.8 Western	036009299	023614858096	26"	5	7 lbs 11 oz	46"	1/10" Adj	0" Adj	13 5/8" Adj	7 1/2"	5/8 - 24 SR
7MM PRC	036009298	023614858119	24"	5	7 lbs 15 oz	44 3/4"	1/10" Adj	0" Adj	13 5/8" Adj	8"	5/8 - 24 SR
7MM REM MAG	036009227	023614858102	26"	5	7 lbs 15 oz	46 3/4"	1/10" Adj	0" Adj	13 5/8" Adj	8"	5/8 - 24 SR
28 Nosler	036009288	023614858126	26"	5	7 lbs 15 oz	46 3/4"	1/10" Adj	0" Adj	13 5/8" Adj	8"	5/8 - 24 SR
300 WIN MAG	036009229	023614858133	26"	5	7 lbs 15 oz	46 3/4"	1/10" Adj	0" Adj	13 5/8" Adj	8"	5/8 - 24 SR
300 PRC	036009297	023614858140	26"	5	7 lbs 15 oz	46 3/4"	1/10" Adj	0" Adj	13 5/8" Adj	8"	5/8 - 24 SR

X-BOLT 2 ALL PURPOSE

NEW



- Heavy sporter contour barrel optimized balance with the short barrel
- Short barrel lengths are optimized for use with a suppressor
- Plus Magazine System offers extra cartridge capacity
- OD Green Vari-Tech stock features adjustable length of pull, adjustable comb, interchangeable grip modules, and black overmolded grip surfaces
- Suppressor-ready 5/8"-24 muzzle threading (thread protector included)
- 1-1/4" Inflex recoil pad

CALIBER	CODE	UPC	BARREL LENGTH	MAG CAP	WT	OVERALL LENGTH	DROP COMB	DROP HEEL	LENGTH PULL	TWIST RATE	BARREL THREAD
22 Creedmoor	03610920076	023614870715	16 1/2"	6	7 lbs 3 oz	38"	1/10" Adj	0" Adj	13 5/8" Adj	7"	5/8 - 24 SR
243 Win	036041211	023614863595	16 1/2"	6	7 lbs 3 oz	36 1/2"	1/10" Adj	0" Adj	13 5/8" Adj	10"	5/8 - 24 SR
25 Cm	0361092005	023614873747	16 1/2"	6	7 lbs 3 oz	36 1/2"	1/10" Adj	0" Adj	13 5/8" Adj	8"	5/8 - 24 SR
6.5 CREEDMOOR	036041282	023614862581	16 1/2"	6	7 lbs 3 oz	36 1/2"	1/10" Adj	0" Adj	13 5/8" Adj	7"	5/8 - 24 SR
308 Win	036041218	023614862598	16 1/2"	6	7 lbs 3 oz	36 1/2"	1/10" Adj	0" Adj	13 5/8" Adj	10"	5/8 - 24 SR
6.5 PRC	036109294	023614870722	18"	5	7 lbs 3 oz	38"	1/10" Adj	0" Adj	13 5/8" Adj	7"	5/8 - 24 SR
30-06 SPRG	036109226	023614871217	20"	5	7 lbs 3 oz	37 1/4"	1/10" Adj	0" Adj	13 5/8" Adj	10"	5/8 - 24 SR
7MM PRC	036109298	023614870739	18"	5	7 lbs 3 oz	38 3/4"	1/10" Adj	0" Adj	13 5/8" Adj	8"	5/8 - 24 SR
300 PRC	036109297	023614870746	20"	5	7 lbs 3 oz	40 3/4"	1/10" Adj	0" Adj	13 5/8" Adj	10"	5/8 - 24 SR

X-BOLT 2 HUNTER COMPOSITE



- Reconfigured receiver with additional bolt guidance surface area for smoother operation
- Redesigned bolt with ergonomic handle shape
- Adjustable, multiple-lever DLX trigger
- New Vari-Tech stock features adjustable length of pull, adjustable comb, interchangeable grip modules, and overmolded grip surfaces
- Sporter grip installed with a vertical grip supplied
- Sporter contour barrel for the ideal blend of accuracy and weight savings
- Non-reflective matte blued finish
- Muzzle brake and thread protector included
- New 1-1/4" thick Inflex recoil pad

CALIBER	CODE	UPC	BARREL LENGTH	MAG CAP	WT	OVERALL LENGTH	DROP COMB	DROP HEEL	LENGTH PULL	TWIST RATE	BARREL THREAD
243 Win	036003211	023614854098	22"	4	6 lbs 13 oz	42"	1/10" Adj	0" Adj	13 5/8" Adj	10"	M13 - 0.75
6.5 CREEDMOOR	036003282	023614854104	22"	4	6 lbs 7 oz	42"	1/10" Adj	0" Adj	13 5/8" Adj	8"	M13 - 0.75
308 Win	036003218	023614854128	22"	4	6 lbs 7 oz	42"	1/10" Adj	0" Adj	13 5/8" Adj	10"	M13 - 0.75
6.5 PRC	036003294	023614854135	24"	3	6 lbs 10 oz	44"	1/10" Adj	0" Adj	13 5/8" Adj	7"	M13 - 0.75
6.8 Western	036003299	023614854142	24"	3	6 lbs 10 oz	44"	1/10" Adj	0" Adj	13 5/8" Adj	7 1/2"	M13 - 0.75
300 WSM	036003246	023614854159	23"	3	6 lbs 9 oz	43"	1/10" Adj	0" Adj	13 5/8" Adj	10"	M13 - 0.75
270 Win	036003224	023614854166	22"	4	6 lbs 12 oz	42 3/4"	1/10" Adj	0" Adj	13 5/8" Adj	10"	M13 - 0.75
30-06 SPRG	036003226	023614854180	22"	4	6 lbs 12 oz	42 3/4"	1/10" Adj	0" Adj	13 5/8" Adj	10"	M13 - 0.75
7MM PRC	036003298	023614857709	24"	3	7 lbs 0 oz	44 3/4"	1/10" Adj	0" Adj	13 5/8" Adj	8"	M13 - 0.75
7MM REM MAG	036003227	023614854197	26"	3	7 lbs 3 oz	46 3/4"	1/10" Adj	0" Adj	13 5/8" Adj	9 1/2"	M13 - 0.75
300 WIN MAG	036003229	023614854203	26"	3	7 lbs 2 oz	46 3/4"	1/10" Adj	0" Adj	13 5/8" Adj	10"	M13 - 0.75
300 PRC	036003297	023614854210	26"	3	7 lbs 3 oz	46 3/4"	1/10" Adj	0" Adj	13 5/8" Adj	8"	M13 - 0.75

X-BOLT 2 MICRO



- Reconfigured receiver with additional bolt guidance surface area for smoother operation
- Redesigned bolt with ergonomic handle shape
- Adjustable, multiple-lever DLX trigger
- New Vari-Tech stock features adjustable length of pull, adjustable comb, interchangeable grip modules, and overmolded grip surfaces
- Compact stock dimensions with 12-7/8" length of pull that adjusts to 13-7/8"
- Non-reflective matte blued receiver finish
- Sporter contour barrel for ideal blend of accuracy and weight savings
- Threaded muzzle brake reduces recoil (thread protector included)
- Suppressor-ready 5/8"-24 muzzle threading
- New 1" thick Inflex Recoil Pad

CALIBER	CODE	UPC	BARREL LENGTH	MAG CAP	WT	OVERALL LENGTH	DROP COMB	DROP HEEL	LENGTH PULL	TWIST RATE	BARREL THREAD
243 Win	036031211	023614862536	20"	4	6 lbs 12 oz	39 1/4"	0" Adj	1/10" Adj	12 7/8" Adj	10"	5/8 - 24 SR
6.5 CREEDMOOR	036031282	023614862543	20"	4	6 lbs 12 oz	39 1/4"	0" Adj	1/10" Adj	12 7/8" Adj	8"	5/8 - 24 SR
308 Win	036031218	023614862550	20"	4	6 lbs 12 oz	39 1/4"	1/10" Adj	0" Adj	12 7/8" Adj	10"	5/8 - 24 SR
6.5 PRC	036031294	023614862567	22"	3	6 lbs 14 oz	41 1/4"	1/10" Adj	0" Adj	12 7/8" Adj	7"	5/8 - 24 SR
6.8 Western	036031299	023614862574	22"	3	6 lbs 14 oz	41 1/4"	1/10" Adj	0" Adj	12 7/8" Adj	7 1/2"	5/8 - 24 SR

X-BOLT 2 HUNTER



- Reconfigured receiver with additional bolt guidance surface area for smoother operation
- Redesigned bolt with ergonomic handle shape
- Adjustable, multiple-lever DLX trigger
- Non-reflective matte blued receiver finish
- Satin finish checkered walnut stock
- Sporter contour barrel for the ideal blend of accuracy and weight savings
- Non-reflective matte blued finish
- Low profile bottom metal
- 1-1/4" Inflex recoil pad

CALIBER	CODE	UPC	BARREL LENGTH	MAG CAP	WT	OVERALL LENGTH	DROP COMB	DROP HEEL	LENGTH PULL	TWIST RATE
243 Win	036001211	023614854241	22"	4	6 lbs 7 oz	42"	11/16"	1/2"	13 5/8"	10"
6.5 CREEDMOOR	036001282	023614854258	22"	4	6 lbs 14 oz	42"	11/16"	1/2"	13 5/8"	8"
308 Win	036001218	023614854272	22"	4	6 lbs 14 oz	42"	11/16"	1/2"	13 5/8"	10"
6.5 PRC	036001294	023614854609	24"	3	7 lbs 0 oz	44"	11/16"	1/2"	13 5/8"	7"
6.8 Western	036001299	023614854616	24"	3	7 lbs 0 oz	44"	11/16"	1/2"	13 5/8"	7 1/2"
270 Win	036001224	023614854319	22"	4	7 lbs 0 oz	44 3/4"	11/16"	1/2"	13 5/8"	10"
30-06 SPRG	036001226	023614854333	22"	4	7 lbs 0 oz	42 3/4"	11/16"	1/2"	13 5/8"	10"
7MM REM MAG	036001227	023614854340	26"	3	7 lbs 4 oz	46 3/4"	11/16"	1/2"	13 5/8"	9 1/2"
300 WIN MAG	036001229	023614854357	26"	3	7 lbs 4 oz	46 3/4"	11/16"	1/2"	13 5/8"	10"

X-BOLT 2 MEDALLION



- Engraved receiver with polished blued finish
- Gloss finished Grade III checkered walnut stock with rosewood fore-end tip and grip cap
- Sporter contour barrel with gloss blued finish for the ideal blend of accuracy and weight savings
- Gloss finished metal work
- Spiral-fluted bolt with ergonomic bolt knob shape
- Low-profile bottom metal
- Threaded muzzle brake reduces felt recoil (thread protector included)
- Rotary magazine
- 1-1/4" Inflex recoil pad

CALIBER	CODE	UPC	BARREL LENGTH	MAG CAP	WT	OVERALL LENGTH	DROP COMB	DROP HEEL	LENGTH PULL	TWIST RATE	BARREL THREAD
243 Win	036005211	023614857808	22"	4	6 lbs 10 oz	42"	11/16"	1/2"	13 5/8"	10"	M13 - 0.75
6.5 CREEDMOOR	036005282	023614857815	22"	4	6 lbs 10 oz	42"	11/16"	1/2"	13 5/8"	8"	M13 - 0.75
308 Win	036005218	023614857822	22"	4	6 lbs 10 oz	42"	11/16"	1/2"	13 5/8"	10"	M13 - 0.75
6.5 PRC	036005294	023614857839	24"	3	7 lbs 0 oz	44"	11/16"	1/2"	13 5/8"	7"	M13 - 0.75
6.8 Western	036005299	023614857846	24"	3	7 lbs 0 oz	44"	11/16"	1/2"	13 5/8"	7 1/2"	M13 - 0.75
270 Win	036005224	023614857853	22"	4	6 lbs 14 oz	42 3/4"	11/16"	1/2"	13 5/8"	10"	M13 - 0.75
30-06 SPRG	036005226	023614857860	22"	4	6 lbs 14 oz	42 3/4"	11/16"	1/2"	13 5/8"	10"	M13 - 0.75
7MM PRC	036005298	023614864615	24"	3	7 lbs 2 oz	44 3/4"	11/16"	1/2"	13 5/8"	9 1/2"	M13 - 0.75
7MM REM MAG	036005227	023614857877	26"	3	7 lbs 2 oz	46 3/4"	11/16"	1/2"	13 5/8"	9 1/2"	M13 - 0.75
300 WIN MAG	036005229	023614857884	26"	3	7 lbs 2 oz	46 3/4"	11/16"	1/2"	13 5/8"	10"	M13 - 0.75

X-BOLT 2 MEDALLION SPR

NEW



- Engraved receiver with polished finish
- Sporter contour barrel with shorter lengths for suppressor use
- Gloss finish Grade III/IV American walnut sock with rosewood fore-end tip and grip cap
- Medallion traditional point checkering
- Gloss finish metal work
- Low profile bottom metal
- Threaded muzzle brake reduces felt recoil (thread protector included)
- 1-1/4" Inflex recoil pad

CALIBER	CODE	UPC	BARREL LENGTH	MAG CAP	WT	OVERALL LENGTH	DROP COMB	DROP HEEL	LENGTH PULL	TWIST RATE	BARREL THREAD
243 Win	036145211	023614872771	18"	4	6 lbs 10 oz	38"	11/16"	1/2"	13 5/8"	10"	5/8 - 24 SR
6.5 CREEDMOOR	036145282	023614872788	18"	4	6 lbs 10 oz	38"	11/16"	1/2"	13 5/8"	8"	5/8 - 24 SR
308 Win	036145218	023614872795	18"	4	6 lbs 10 oz	38"	11/16"	1/2"	13 5/8"	10"	5/8 - 24 SR
6.5 PRC	036145294	023614872801	20"	3	6 lbs 10 oz	40"	11/16"	1/2"	13 5/8"	7"	5/8 - 24 SR
6.8 Western	036145299	023614872818	20"	3	6 lbs 10 oz	40"	11/16"	1/2"	13 5/8"	7 1/2"	5/8 - 24 SR
270 Win	036145224	023614872825	18"	4	6 lbs 10 oz	38 3/4"	11/16"	1/2"	13 5/8"	10"	5/8 - 24 SR
30-06 SPRG	036145226	023614872832	18"	4	6 lbs 10 oz	38 3/4"	11/16"	1/2"	13 5/8"	10"	5/8 - 24 SR
7MM PRC	036145298	023614872856	20"	3	6 lbs 10 oz	40 3/4"	11/16"	1/2"	13 5/8"	8"	5/8 - 24 SR
7MM REM MAG	036145227	023614872849	22"	3	6 lbs 10 oz	42 3/4"	11/16"	1/2"	13 5/8"	9 1/2"	5/8 - 24 SR
300 WIN MAG	036145229	023614872863	22"	3	6 lbs 10 oz	42 3/4"	11/16"	1/2"	13 5/8"	10"	5/8 - 24 SR

X-BOLT 2 MEDALLION MAPLE



- Engraved receiver with polished blued finish
- Gloss finished AAAA checkered maple stock with rosewood fore-end tip and grip cap
- Sporter contour barrel with gloss blued finish for the ideal blend of accuracy and weight savings
- Gloss finished metal work
- Spiral-fluted bolt with ergonomic bolt knob shape
- Low-profile bottom metal
- Threaded muzzle brake reduces felt recoil (thread protector included)
- Rotary magazine
- 1-1/4" Inflex recoil pad

CALIBER	CODE	UPC	BARREL LENGTH	MAG CAP	WT	OVERALL LENGTH	DROP COMB	DROP HEEL	LENGTH PULL	TWIST RATE	BARREL THREAD
243 Win	036080211	023614864509	22"	4	6 lbs 10 oz	42"	11/16"	1/2"	13 5/8"	10"	M13 - 0.75
6.5 CREEDMOOR	036080282	023614864516	22"	4	6 lbs 10 oz	42"	11/16"	1/2"	13 5/8"	8"	M13 - 0.75
308 Win	036080218	023614864523	22"	4	6 lbs 10 oz	42"	11/16"	1/2"	13 5/8"	10"	M13 - 0.75
6.5 PRC	036080294	023614864530	24"	3	7 lbs 0 oz	44"	11/16"	1/2"	13 5/8"	7"	M13 - 0.75
6.8 Western	036080299	023614864547	24"	3	7 lbs 0 oz	44"	11/16"	1/2"	13 5/8"	7 1/2"	M13 - 0.75
270 Win	036080224	023614864554	22"	4	6 lbs 14 oz	42 3/4"	11/16"	1/2"	13 5/8"	10"	M13 - 0.75
30-06 SPRG	036080226	023614864561	22"	4	6 lbs 14 oz	42 3/4"	11/16"	1/2"	13 5/8"	10"	M13 - 0.75
7MM PRC	036080298	023614864585	24"	3	7 lbs 2 oz	44 3/4"	11/16"	1/2"	13 5/8"	8"	M13 - 0.75
7MM REM MAG	036080227	023614864578	26"	3	7 lbs 2 oz	46 3/4"	11/16"	1/2"	13 5/8"	9 1/2"	M13 - 0.75
300 WIN MAG	036080229	023614864592	26"	3	7 lbs 2 oz	46 3/4"	11/16"	1/2"	13 5/8"	10"	M13 - 0.75

X-BOLT 2 WHITE GOLD MEDALLION



- Engraved staniless steel receiver with polished finish
- Gloss finish Grade III/IV checkered walnut Monte Carlo style stock with rosewood fore-end tip and grip cap
- Stainless steel sporter contour barrel for the ideal blend of accuracy and weight savings
- Low-profile bottom metal
- Threaded muzzle brake reduces felt recoil (thread protector included)
- Rotary magazine
- 1-1/4" Inflex recoil pad

CALIBER	CODE	UPC	BARREL LENGTH	MAG CAP	WT	OVERALL LENGTH	DROP COMB	DROP HEEL	LENGTH PULL	TWIST RATE	BARREL THREAD
243 Win	036007211	023614857716	22"	4	6 lbs 8 oz	42"	3/4"	1 7/16"	13 5/8"	10"	M13 - 0.75
6.5 CREEDMOOR	036007282	023614857723	22"	4	6 lbs 8 oz	42"	3/4"	1 7/16"	13 5/8"	8"	M13 - 0.75
308 Win	036007218	023614857730	22"	4	6 lbs 8 oz	42"	3/4"	1 7/16"	13 5/8"	10"	M13 - 0.75
6.5 PRC	036007294	023614857747	24"	3	6 lbs 10 oz	44"	3/4"	1 7/16"	13 5/8"	7"	M13 - 0.75
6.8 Western	036007299	023614857754	24"	3	6 lbs 10 oz	44"	3/4"	1 7/16"	13 5/8"	7 1/2"	M13 - 0.75
270 Win	036007224	023614857761	22"	4	6 lbs 12 oz	42 3/4"	3/4"	1 7/16"	13 5/8"	10"	M13 - 0.75
30-06 SPRG	036007226	023614857778	22"	4	6 lbs 12 oz	42 3/4"	3/4"	1 7/16"	13 5/8"	10"	M13 - 0.75
7MM REM MAG	036007227	023614857785	26"	3	7 lbs 0 oz	46 3/4"	3/4"	1 7/16"	13 5/8"	9 1/2"	M13 - 0.75
300 WIN MAG	036007229	023614857792	26"	3	7 lbs 0 oz	46 3/4"	3/4"	1 7/16"	13 5/8"	10"	M13 - 0.75

X-BOLT 2 TARGET MAX



- Max composite stock with vertical grip, height-adjustable comb, and flat fore-end
- Blued action
- Plus Magazine System offers extra cartridge capacity
- Stainless steel, bull profile, fluted barrel
- Suppressor-ready 5/8-24 muzzle threading
- Competition Recoil Hawg muzzle brake reduces felt recoil up to 76%
- 1/4" and 1/2" length of pull spacers included
- 1-1/4" Inflex Recoil Pad

CALIBER	CODE	UPC	BARREL LENGTH	MAG CAP	WT	OVERALL LENGTH	DROP COMB	DROP HEEL	LENGTH PULL	TWIST RATE	BARREL THREAD
6MM GT	036094292	023614866435	24"	10	9 lbs 14 oz	44 1/8"	2/3" Adj	2/3" Adj	13 3/4" Adj	7"	5/8 - 24 SR
6 CREEDMOOR	036094291	023614866442	24"	10	9 lbs 14 oz	44 1/8"	2/3" Adj	2/3" Adj	13 3/4" Adj	7 1/2"	5/8 - 24 SR
6.5 CREEDMOOR	036094282	023614866459	24"	10	9 lbs 14 oz	44 1/8"	2/3" Adj	2/3" Adj	13 3/4" Adj	7"	5/8 - 24 SR
308 Win	036094218	023614866466	24"	10	9 lbs 14 oz	44 1/8"	2/3" Adj	2/3" Adj	13 3/4" Adj	10"	5/8 - 24 SR
7MM PRC	036094298	023614866497	26"	5	10 lbs 1 oz	46 7/8"	2/3" Adj	2/3" Adj	13 3/4" Adj	8"	5/8 - 24 SR
300 WIN MAG	036094229	023614866503	26"	5	10 lbs 1 oz	46 7/8"	2/3" Adj	2/3" Adj	13 3/4" Adj	7 1/2"	5/8 - 24 SR
300 PRC	036094297	023614866510	26"	5	10 lbs 1 oz	46 7/8"	2/3" Adj	2/3" Adj	13 3/4" Adj	8"	5/8 - 24 SR

AB3

AB3 PRO COMPOSITE

NEW



- Spiral fluted sporter contour barrel
- Non-reflective matte blued finish
- Spiral fluted bolt body
- Weather-resistant gray/green colored composite stock
- Threaded muzzle (thread protector supplied)
- Two-piece bolt handle with teardrop bolt knob
- Inflex Recoil Pad

CALIBER	CODE	UPC	BARREL LENGTH	MAG CAP	WT	OVERALL LENGTH	DROP COMB	DROP HEEL	LENGTH PULL	TWIST RATE	BARREL THREAD
243 Win	035851211	023614868088	22"	4	6 lbs 11 oz	42"	11/16"	1/2"	13 5/8"	10"	M13 - 0.75
6.5 CREEDMOOR	035851282	023614868095	22"	4	6 lbs 11 oz	42"	11/16"	1/2"	13 5/8"	8"	M13 - 0.75
308 Win	035851218	023614868118	22"	4	6 lbs 9 oz	42"	11/16"	1/2"	13 5/8"	12"	M13 - 0.75
270 Win	035851224	023614868125	22"	4	6 lbs 13 oz	42 3/4"	11/16"	1/2"	13 5/8"	10"	M13 - 0.75
30-06 SPRG	035851226	023614868132	22"	4	6 lbs 13 oz	42 3/4"	11/16"	1/2"	13 5/8"	10"	M13 - 0.75
7MM PRC	035851298	023614872894	24"	3	7 lbs 3 oz	44"	11/16"	1/2"	13 5/8"	8"	M13 - 0.75
7MM REM MAG	035851227	023614868101	26"	3	7 lbs 3 oz	46 3/4"	11/16"	1/2"	13 5/8"	9 1/2"	M13 - 0.75
300 WIN MAG	035851229	023614868156	26"	3	7 lbs 3 oz	46 3/4"	11/16"	1/2"	13 5/8"	10"	M13 - 0.75

AB3 PRO COMPOSITE SPR

NEW



- Spiral fluted sporter contour barrel with shorter lengths for suppressor use
- Non-reflective matte blued finish
- Weather-resistant gray / green composite stock
- Suppressor-ready 5/8"-24 muzzle threading (thread protector supplied)
- Two-piece bolt handle with teardrop bolt knob
- Inflex Recoil Pad

CALIBER	CODE	UPC	BARREL LENGTH	MAG CAP	WT	OVERALL LENGTH	DROP COMB	DROP HEEL	LENGTH PULL	TWIST RATE	BARREL THREAD
243 Win	035845211	023614872924	18"	4	6 lbs 9 oz	38"	11/16"	1/2"	13 5/8"	10"	5/8 - 24 SR
6.5 CREEDMOOR	035845282	023614872931	18"	4	6 lbs 9 oz	38"	11/16"	1/2"	13 5/8"	8"	5/8 - 24 SR
7MM-08 REM	035845216	023614872948	18"	4	6 lbs 9 oz	38"	11/16"	1/2"	13 5/8"	9 1/2"	5/8 - 24 SR
308 Win	035845218	023614872955	18"	4	6 lbs 9 oz	38"	11/16"	1/2"	13 5/8"	10"	5/8 - 24 SR
270 Win	035845224	023614872962	18"	4	6 lbs 9 oz	38"	11/16"	1/2"	13 5/8"	10"	5/8 - 24 SR
30-06 SPRG	035845226	023614872979	18"	4	6 lbs 9 oz	38 3/4"	11/16"	1/2"	13 5/8"	10"	5/8 - 24 SR
7MM PRC	035845298	023614872986	20"	3	6 lbs 9 oz	40 3/4"	11/16"	1/2"	13 5/8"	8"	5/8 - 24 SR
300 WIN MAG	035845229	023614872993	22"	3	6 lbs 9 oz	42 3/4"	11/16"	1/2"	13 5/8"	8"	5/8 - 24 SR

AB3 MICRO STALKER



- Compact dimensions fit many shooters better
- Non-reflective matte blued finish
- Sporter contour barrel for the ideal blend of accuracy and weight savings
- Weather-resistant composite stock
- Pachmayr® Decelerator® recoil pad

CALIBER	CODE	UPC	BARREL LENGTH	MAG CAP	WT	OVERALL LENGTH	DROP COMB	DROP HEEL	LENGTH PULL	TWIST RATE
243 Win	035808211	023614439158	20"	4	6 lbs 8 oz	39 3/8"	11/16"	1/2"	13"	10"
6.5 CREEDMOOR	035808282	023614442813	20"	4	6 lbs 6 oz	39 3/8"	11/16"	1/2"	13"	8"
7MM-08 REM	035808216	023614439165	20"	4	6 lbs 7 oz	39 3/8"	11/16"	1/2"	13"	9 1/2"
308 Win	035808218	023614439172	20"	4	6 lbs 6 oz	39 3/8"	11/16"	1/2"	13"	12"

AB3 PRO HUNTER

NEW



- Spiral fluted sporter contour barrel
- Non-reflective matte blued finish
- Satin finish Grade I Americam walnut stock with enhanced checkering
- Threaded muzzle (thread protector supplied)
- Two-piece bolt handle with teardrop bolt knob
- Inflex Recoil Pad

CALIBER	CODE	UPC	BARREL LENGTH	MAG CAP	WT	OVERALL LENGTH	DROP COMB	DROP HEEL	LENGTH PULL	TWIST RATE	BARREL THREAD
243 Win	035852211	023614871835	22"	4	6 lbs 13 oz	42"	11/16"	1/2"	13 5/8"	10"	M13 - 0.75
6.5 CREEDMOOR	035852282	023614871842	22"	4	6 lbs 13 oz	42"	11/16"	1/2"	13 5/8"	8"	M13 - 0.75
308 Win	035852218	023614871859	22"	4	6 lbs 10 oz	42"	11/16"	1/2"	13 5/8"	12"	M13 - 0.75
270 Win	035852224	023614871866	22"	4	6 lbs 15 oz	42 3/4"	11/16"	1/2"	13 5/8"	10"	M13 - 0.75
30-06 SPRG	035852226	023614871873	22"	4	6 lbs 15 oz	42 3/4"	11/16"	1/2"	13 5/8"	10"	M13 - 0.75
7MM PRC	035852298	023614872900	24"	3	7 lbs 6 oz	44"	11/16"	1/2"	13 5/8"	8"	M13 - 0.75
7MM REM MAG	035852227	023614871880	26"	3	7 lbs 6 oz	46 3/4"	11/16"	1/2"	13 5/8"	9 1/2"	M13 - 0.75
300 WIN MAG	035852229	023614871897	26"	3	7 lbs 6 oz	46 3/4"	11/16"	1/2"	13 5/8"	10"	M13 - 0.75

T-BOLT

T-BOLT TARGET SR



- 20" bull barrel
- 1/2"-28 TPI suppressor threads (thread protector included)
- Barrel honing enhances the bore finish
- Satin finish walnut stock with raised cheekpiece and traditional point checkering pattern
- Matte blued barrel and action
- Straight-pull bolt action is fast to operate and easily clears scope turrets
- Adjustable trigger

CALIBER	CODE	UPC	BARREL LENGTH	MAG CAP	WT	OVERALL LENGTH	DROP COMB	DROP HEEL	LENGTH PULL	TWIST RATE	BARREL THREAD
22 LR	025253202	023614856375	20"	10	6 lbs 13 oz	38 1/4"	5/8"	5/8"	13 1/2"	16"	1/2 - 28 SR
22 WMR	025253204	023614856382	20"	10	6 lbs 13 oz	38 1/4"	5/8"	5/8"	13 1/2"	16"	1/2 - 28 SR
17 HMR	025253270	023614856399	20"	10	6 lbs 13 oz	38 1/4"	5/8"	5/8"	13 1/2"	9"	1/2 - 28 SR

T-BOLT GRAY LAMINATED TARGET/VARMINT STAINLESS



- Stainless steel medium target barrel with matte finish
- 1/2"-28 TPI suppressor threads (thread protector included)
- Gray laminated, satin finish stock with Monte Carlo cheekpiece and cut checkering

CALIBER	CODE	UPC	BARREL LENGTH	MAG CAP	WT	OVERALL LENGTH	DROP COMB	DROP HEEL	LENGTH PULL	TWIST RATE	BARREL THREAD
22 LR	025236202	023614686682	Satin	10	5 lbs 10 oz	40 1/4"	5/8"	5/8"	13 1/2"	16"	1/2 - 28 SR
22 WMR	025236204	023614686699	22"	10	5 lbs 10 oz	40 1/4"	5/8"	5/8"	13 1/2"	16"	1/2 - 28 SR
17 HMR	025236270	023614686705	22"	10	5 lbs 10 oz	40 1/4"	5/8"	5/8"	13 1/2"	16"	1/2 - 28 SR

T-BOLT SPORTER



- Sporter weight barrel
- Satin finish walnut stock with traditional point checkering pattern

CALIBER	CODE	UPC	BARREL LENGTH	MAG CAP	WT	OVERALL LENGTH	DROP COMB	DROP HEEL	LENGTH PULL	TWIST RATE
22 LR	025175202	023614252733	22"	10	5 lbs 8 oz	40 1/8"	5/8"	5/8"	13 1/2"	16"
22 WMR	025175204	023614257936	22"	10	5 lbs 8 oz	40 1/8"	5/8"	5/8"	13 1/2"	16"
17 HMR	025175270	023614257943	22"	10	5 lbs 8 oz	40 1/8"	5/8"	5/8"	13 1/2"	9"

T-BOLT TARGET/VARMINT



- Medium varmint barrel
- Satin finish walnut stock with raised cheekpiece and traditional point checkering pattern

CALIBER	CODE	UPC	BARREL LENGTH	MAG CAP	WT	OVERALL LENGTH	DROP COMB	DROP HEEL	LENGTH PULL	TWIST RATE
22 LR	025176202	023614255222	22"	10	5 lbs 10 oz	40 1/4"	5/8"	5/8"	13 1/2"	16"
22 WMR	025176204	023614257950	22"	10	5 lbs 10 oz	40 1/4"	5/8"	5/8"	13 1/2"	16"
17 HMR	025176270	023614257967	22"	10	5 lbs 10 oz	40 1/4"	5/8"	5/8"	13 1/2"	9"

BLR

BLR LIGHTWEIGHT '81 STAINLESS TAKEDOWN



- Rifle quickly takes down into two parts for travel or storage
- Non-reflective satin nickel receiver finish
- Matte stainless steel barrel
- Gray laminated, satin finish straight grip stock with cut checkering
- Barrel is drilled and tapped for an optional scout-style scope mount
- Truglo / Marble Arms fiber-optic front sight and adjustable rear sight
- Swivel studs

CALIBER	CODE	UPC	BARREL LENGTH	MAG CAP	WT	OVERALL LENGTH	DROP COMB	DROP HEEL	LENGTH PULL	TWIST RATE
243 Win	034015111	023614259589	20"	4	6 lbs 8 oz	40"	3/4"	1 5/16"	13 3/4"	10"
6.5 CREEDMOOR	034015182	023614741527	20"	4	6 lbs 8 oz	40"	3/4"	1 5/16"	13 3/4"	8"
308 Win	034015118	023614259602	20"	4	6 lbs 8 oz	40"	3/4"	1 5/16"	13 3/4"	12"
30-06 SPRG	034015126	023614259688	22"	4	7 lbs 4 oz	43"	3/4"	1 5/16"	14 1/4"	10"
300 WIN MAG	034015129	023614259701	24"	3	7 lbs 6 oz	45"	3/4"	1 5/16"	14 1/4"	10"

BLR LIGHTWEIGHT `81



- Polished blued receiver finish
- Polished blued barrel
- Straight grip walnut stock with gloss finish and cut checkering
- Adjustable rear sights

CALIBER	CODE	UPC	BARREL LENGTH	MAG CAP	WT	OVERALL LENGTH	DROP COMB	DROP HEEL	LENGTH PULL	TWIST RATE
243 Win	034006111	023614240631	20"	4	6 lbs 8 oz	40"	3/4"	1 5/16"	13 3/4"	10"
6.5 CREEDMOOR	034006182	023614741510	20"	4	6 lbs 8 oz	40"	3/4"	1 5/16"	13 3/4"	8"
308 Win	034006118	023614240655	20"	4	6 lbs 8 oz	40"	3/4"	1 5/16"	13 3/4"	12"
270 Win	034006124	023614240341	22"	4	7 lbs 4 oz	43"	3/4"	1 5/16"	14 1/4"	10"
30-06 SPRG	034006126	023614240365	22"	4	7 lbs 4 oz	43"	3/4"	1 5/16"	14 1/4"	10"

BLR LIGHTWEIGHT STAINLESS WITH CURVED GRIP



- Non-reflective satin nickel receiver finish
- Matte stainless steel barrel
- Curved grip walnut stock with a gloss finish and cut checkering
- Schnabel forearm
- Adjustable sights
- Swivel studs

CALIBER	CODE	UPC	BARREL LENGTH	MAG CAP	WT	OVERALL LENGTH	DROP COMB	DROP HEEL	LENGTH PULL	TWIST RATE
243 Win	034018111	023614066613	20"	4	6 lbs 8 oz	40"	1"	1"	13 3/4"	10"
6.5 CREEDMOOR	034018182	023614741541	20"	4	6 lbs 8 oz	40"	1"	1"	13 3/4"	8"
308 Win	034018118	023614066620	20"	4	6 lbs 8 oz	40"	1"	1"	13 3/4"	12"
270 Win	034018124	023614068075	22"	4	7 lbs 4 oz	43"	1"	1"	14 1/4"	10"
30-06 SPRG	034018126	023614068082	22"	4	7 lbs 4 oz	43"	1"	1"	14 1/4"	10"
300 WIN MAG	034018129	023614068105	24"	3	7 lbs 6 oz	45"	1"	1"	14 1/4"	10"

BLR LIGHTWEIGHT WITH CURVED GRIP



- Polished blued receiver finish
- Polished blued barrel
- Curved grip walnut stock with gloss finish and cut checkering
- Schnabel forearm
- Adjustable sights
- Swivel studs

CALIBER	CODE	UPC	BARREL LENGTH	MAG CAP	WT	OVERALL LENGTH	DROP COMB	DROP HEEL	LENGTH PULL	TWIST RATE
243 Win	034009111	023614250029	20"	4	6 lbs 8 oz	40"	1"	1"	13 3/4"	10"
6.5 CREEDMOOR	034009182	023614741534	20"	4	6 lbs 8 oz	40"	1"	1"	13 3/4"	8"
308 Win	034009118	023614250043	20"	4	6 lbs 8 oz	40"	1"	1"	13 3/4"	12"
270 Win	034009124	023614249979	22"	4	7 lbs 4 oz	43"	1"	1"	14 1/4"	10"
30-06 SPRG	034009126	023614249986	22"	4	7 lbs 4 oz	43"	1"	1"	14 1/4"	10"
300 WIN MAG	034009129	023614250005	24"	3	7 lbs 6 oz	45"	1"	1"	14 1/4"	10"

BL-22

BL-22 MICRO MIDAS



- Blued receiver finish
- Gloss finish walnut stock
- Shorter barrel for reduced weight
- Compact 12" length of pull
- Tubular magazine

CALIBER	CODE	UPC	BARREL LENGTH	MAG CAP	WT	OVERALL LENGTH	DROP COMB	DROP HEEL	LENGTH PULL	TWIST RATE
22 S L LR	024115103	023614071242	16 1/4"	11	4 lbs 12 oz	31 1/2"	7/8"	1 1/2"	12"	16"

BL-22 GRADE I



- Blued Receiver Finish
- Tubular magazine
- Gloss Finish Walnut Stock

CALIBER	CODE	UPC	BARREL LENGTH	MAG CAP	WT	OVERALL LENGTH	DROP COMB	DROP HEEL	LENGTH PULL	TWIST RATE
22 S L LR	024100103	023614025474	20"	15	5 lbs 0 oz	36 3/4"	7/8"	1 1/2"	13 1/2"	16"

BL-22 GRADE II



- Blued receiver finish
- Scroll engraving
- Gloss finish American walnut stock with traditional point checkering pattern
- Tubular magazine

CALIBER	CODE	UPC	BARREL LENGTH	MAG CAP	WT	OVERALL LENGTH	DROP COMB	DROP HEEL	LENGTH PULL	TWIST RATE
22 S L LR	024101103	023614025481	20"	15	5 lbs 0 oz	36 3/4"	7/8"	1 1/2"	13 1/2"	16"

BL-22 FLD, GRADE I



- Satin nickel receiver finish
- Satin finish American walnut stock
- Tubular magazine

CALIBER	CODE	UPC	COLOR	RETAIL	BARREL LENGTH	MAG CAP	WT	OVERALL LENGTH	DROP COMB	DROP HEEL	LENGTH PULL	TWIST RATE
22 S L LR	024107102	023614250197	Satin	$949.99	20"	15	5 lbs 0 oz	36 3/4"	7/8"	1 1/2"	13 1/2"	16"

BL-22 FLD, GRADE II



- Satin nickel receiver finish
- Scroll engraving
- Satin finish American walnut stock with traditional point checkering pattern
- Gold-colored trigger
- Tubular magazine

CALIBER	CODE	UPC	COLOR	RETAIL	BARREL LENGTH	MAG CAP	WT	OVERALL LENGTH	DROP COMB	DROP HEEL	LENGTH PULL	TWIST RATE
22 S L LR	024108102	023614250203	Satin	$1139.99	20"	15	5 lbs 0 oz	36 3/4"	7/8"	1 1/2"	13 1/2"	16"

BL-22 FLD, GRADE II OCTAGON



- Satin nickel receiver finish
- Scroll engraving
- Satin finish American walnut stock with traditional point checkering pattern
- Gold-colored trigger
- Tubular magazine

CALIBER	CODE	UPC	COLOR	RETAIL	BARREL LENGTH	MAG CAP	WT	OVERALL LENGTH	DROP COMB	DROP HEEL	LENGTH PULL	TWIST RATE
22 S L LR	024105155	023614243816	Satin	$1429.99	24"	15	5 lbs 4 oz	40 3/4"	7/8"	1 1/2"	13 1/2"	16"

BAR

BAR MK 4 SPEED OVIX



- Smoked Bronze Cerkote® finish protects better than traditional bluing or stainless steel
- Fluted barrel
- Versatile Browning OVIX camouflage
- Composite stock with overmolded gripping panels
- Raised SoftFlex™ cheekpad
- Shim-adjustable for cast on/off and drop at comb
- Inflex recoil pad

CALIBER	CODE	UPC	BARREL LENGTH	MAG CAP	WT	OVERALL LENGTH	DROP COMB	DROP HEEL	LENGTH PULL	TWIST RATE
243 Win	039012211	023614862048	22"	4	7 lbs 5 oz	44 1/8"	5/8"	1 1/8"	14 3/8"	10"
308 Win	039012218	023614862055	22"	4	7 lbs 5 oz	44 1/8"	5/8"	1 1/8"	14 3/8"	12"
270 Win	039012224	023614862062	22"	4	7 lbs 5 oz	44 1/8"	5/8"	1 1/8"	14 3/8"	10"
30-06 SPRG	039012226	023614862079	22"	4	7 lbs 5 oz	44 1/8"	5/8"	1 1/8"	14 3/8"	10"
7MM REM MAG	039012227	023614862086	24"	3	7 lbs 8 oz	46 1/8"	5/8"	1 1/8"	14 3/8"	9 1/2"
300 WIN MAG	039012229	023614862093	24"	3	7 lbs 8 oz	46 1/8"	5/8"	1 1/8"	14 3/8"	10"

BAR MK 4 HUNTER COMPOSITE



- Non-reflective matte blued finish fluted barrel
- Raised SoftFlex™ cheekpad
- Composite stock with overmolded gripping panels
- Non-reflective matte blued receiver finish
- Shim-adjustable for cast on/off and drop at comb
- Inflex recoil pad

CALIBER	CODE	UPC	BARREL LENGTH	MAG CAP	WT	OVERALL LENGTH	DROP COMB	DROP HEEL	LENGTH PULL	TWIST RATE
243 Win	039007211	023614861867	22"	4	7 lbs 2 oz	44 1/8"	5/8"	1 1/8"	14 3/8"	10"
308 Win	039007218	023614861874	22"	4	7 lbs 2 oz	44 1/8"	5/8"	1 1/8"	14 3/8"	12"
270 Win	039007224	023614861881	22"	4	7 lbs 2 oz	44 1/8"	5/8"	1 1/8"	14 3/8"	10"
30-06 SPRG	039007226	023614861898	22"	4	7 lbs 2 oz	44 1/8"	5/8"	1 1/8"	14 3/8"	10"
7MM REM MAG	039007227	023614861904	24"	3	7 lbs 5 oz	46 1/8"	5/8"	1 1/8"	14 3/8"	9 1/2"
300 WIN MAG	039007229	023614861911	24"	3	7 lbs 5 oz	46 1/8"	5/8"	1 1/8"	14 3/8"	10"

BAR MK 4 HUNTER



- Non-reflective matte blued finish fluted barrel
- Oil finish Grade II Turkish walnut stock
- Non-reflective matte blued receiver finish
- Shim-adjustable for cast on/off and drop at comb
- Inflex recoil pad

CALIBER	CODE	UPC	BARREL LENGTH	MAG CAP	WT	OVERALL LENGTH	DROP COMB	DROP HEEL	LENGTH PULL	TWIST RATE
243 Win	039008211	023614861928	22"	4	7 lbs 2 oz	43 3/8"	7/8"	1 1/8"	13 3/4"	10"
308 Win	039008218	023614861935	22"	4	7 lbs 2 oz	43 3/8"	7/8"	1 1/8"	13 3/4"	12"
270 Win	039008224	023614861942	22"	4	7 lbs 2 oz	43 3/8"	7/8"	1 1/8"	13 3/4"	10"
30-06 SPRG	039008226	023614861959	22"	4	7 lbs 2 oz	43 3/8"	7/8"	1 1/8"	13 3/4"	10"
7MM REM MAG	039008227	023614861966	24"	3	7 lbs 11 oz	45 3/8"	7/8"	1 1/8"	13 3/4"	9 1/2"
300 WIN MAG	039008229	023614861973	24"	3	7 lbs 11 oz	45 3/8"	7/8"	1 1/8"	13 3/4"	10"

BAR MK 4 MEDALLION



- Nickel receiver with engraving
- Polished blued fluted barrel
- Oil finish Grade III Turkish walnut stock with cut checkering
- High-relief engraving
- Shim-adjustable for cast on/off and drop at comb
- Inflex recoil pad

CALIBER	CODE	UPC	BARREL LENGTH	MAG CAP	WT	OVERALL LENGTH	DROP COMB	DROP HEEL	LENGTH PULL	TWIST RATE
243 Win	039009211	023614861980	22"	4	7 lbs 2 oz	43 3/8"	7/8"	1 1/8"	13 3/4"	10"
308 Win	039009218	023614861997	22"	4	7 lbs 2 oz	43 3/8"	7/8"	1 1/8"	13 3/4"	12"
270 Win	039009224	023614862000	22"	4	7 lbs 2 oz	43 3/8"	7/8"	1 1/8"	13 3/4"	10"
30-06 SPRG	039009226	023614862017	22"	4	7 lbs 2 oz	43 3/8"	7/8"	1 1/8"	13 3/4"	10"
7MM REM MAG	039009227	023614862024	24"	3	7 lbs 11 oz	45 3/8"	7/8"	1 1/8"	13 3/4"	9 1/2"
300 WIN MAG	039009229	023614862031	24"	3	7 lbs 11 oz	45 3/8"	7/8"	1 1/8"	13 3/4"	10"

BAR MK 4 DBM, WOOD



- Alloy receiver with integrated Picatinny rail for mounting optics
- Non-reflective matte blued finish
- Oil finish Grade II Turkish walnut stock
- Alloy magazine well with ambidextrous mag release
- Fluted barrel
- 10-round detachable box magazine
- Shim-adjustable for cast on/off and drop at comb
- Inflex recoil pad

CALIBER	CODE	UPC	BARREL LENGTH	MAG CAP	WT	OVERALL LENGTH	DROP COMB	DROP HEEL	LENGTH PULL	TWIST RATE
308 Win	039011218	023614859789	18"	10	7 lbs 6 oz	40 1/8"	5/8"	1 1/8"	14 3/8"	12"

BAR MK 4 DBM, HUNTER



- Alloy receiver with integrated Picatinny rail for mounting optics
- Non-reflective matte blued finish
- Composite stock with overmolded gripping panels
- Alloy magazine well with ambidextrous mag release
- Fluted barrel
- 10-round detachable box magazine
- Raised SoftFlex™ cheekpad
- Shim-adjustable for cast on/off and drop at comb
- Inflex recoil pad

CALIBER	CODE	UPC	BARREL LENGTH	MAG CAP	WT	OVERALL LENGTH	DROP COMB	DROP HEEL	LENGTH PULL	TWIST RATE
308 Win	039010218	023614859796	18 1/2"	10	7 lbs 6 oz	40 1/8"	5/8"	1 1/8"	14 3/8"	12"

SA-22

SEMI-AUTO 22, GRADE I



- Polished blued receiver finish
- Scroll engraving
- Gloss finish American walnut stock with traditional point checkering pattern

CALIBER	CODE	UPC	BARREL LENGTH	MAG CAP	WT	OVERALL LENGTH	DROP COMB	DROP HEEL	LENGTH PULL	TWIST RATE
22 LR	021001102	023614025559	19 3/8"	10	5 lbs 3 oz	37"	1 3/16"	2 5/8"	13 3/4"	16"

SEMI-AUTO 22 GRADE II OCTAGON



- Satin nickel receiver finish
- Scroll engraving
- Octagon barrel
- Satin finish Grade II / III walnut with gloss finish and traditional point checkering pattern
- Gold-colored trigger

CALIBER	CODE	UPC	BARREL LENGTH	MAG CAP	WT	OVERALL LENGTH	DROP COMB	DROP HEEL	LENGTH PULL	TWIST RATE
22 LR	021023102	023614736592	19 3/8"	10	5 lbs 3 oz	37"	1 3/16"	2 5/8"	13 3/4"	16"

SEMI-AUTO 22, GRADE VI BLUED



- Blued receiver finish
- Gold enhanced, scroll engraving
- Gloss finish Grade III/IV American walnut with traditional point checkering pattern
- Gold-colored trigger

CALIBER	CODE	UPC	BARREL LENGTH	MAG CAP	WT	OVERALL LENGTH	DROP COMB	DROP HEEL	LENGTH PULL	TWIST RATE
22 LR	021002102	023614824831	19 3/8"	10	5 lbs 3 oz	37"	1 3/16"	2 5/8"	13 3/4"	16"

SEMI-AUTO 22, GRADE VI GRAYED



- Grayed receiver finish
- Gold enhanced, scroll engraving
- Gloss finish Grade III / IV American walnut with traditional point checkering pattern
- Gold-colored trigger

CALIBER	CODE	UPC	BARREL LENGTH	MAG CAP	WT	OVERALL LENGTH	DROP COMB	DROP HEEL	LENGTH PULL	TWIST RATE
22 LR	021003102	023614824848	19 3/8"	10	5 lbs 3 oz	37"	1 3/16"	2 5/8"	13 3/4"	16"